



# BOULDER EYE SURGEONS

DONALD J. KELLER, M.D.

BRIAN E. NICHOLS, M.D., PH.D.

KEVIN H. CUEVAS, M.D.

Phone 303.444.3000 Fax 303.444.3226

## Pre-Operative Instructions for Cataract Surgery


**SURGERY DATE:** \_\_\_\_\_

**RIGHT EYE**

**LEFT EYE**

- Discontinue Tamsulosin/Flomax 3 weeks prior to surgery.
- The combination eye drop will be shipped to you from Imprimis pharmacy. Please call us immediately if you do not receive the bottle **1 week** prior to your surgery.
- You will start the **LESSDROPS** 2 days prior to surgery.  
**DO NOT** use the morning of surgery.

Please check off as you take eye drops ○=One drop

PRE-OPERATIVE DROPS	2 DAYS BEFORE	1 DAY BEFORE
 <p><b>LESSDROPS</b></p>	2 times daily	2 times daily
	AM ○	AM ○
	PM ○	PM ○

## DO NOT THROW AWAY DROPS AS YOU WILL USE THEM AFTER SURGERY!

- **Nothing to eat after midnight.**
- **You may have clear liquids only until 3 hours prior to your check-in time.**
- You **do not** need to stop Aspirin, Coumadin, Plavix, or any other blood thinners prior to cataract surgery, unless instructed by a physician.
- You will need a driver the day of and the day after surgery.